



## Technical data

<b>product versions</b>	<p>522 - plastic seat and backrest                      502 - upholstered seat, plastic backrest                      500 - upholstered seat and backrest</p> <p>Frame versions                      H - four legs                      HC - four legs, castors                      V - cantilever, stackable                      2P - armrests</p> <p>*Zoo on cantilever without armrests (V version) cannot be offered and distributed in the Federal Republic of Germany.</p>
<b>frame</b>	<p>Metal tube with cross section fi 22 mm.                      Variants:                      - black (powder coated)                      - metallic (powder coated)                      - shiny chrome (chrome)</p>
<b>table top</b>	<p>Zoo model may occur with table top (2PB).                      Table top is not available as a separate part, it is integrated with the frame.                      Purchase as a separate element is not possible. Right hand table top available as a standard.                      It's always black composite.</p>
<b>armrests</b>	<p>Polyamide armrest PA.</p> <p>It is possible to freely join the colours of seat, backrest and armrests.</p>
<b>castors/glides</b>	<p>Glides:                      - standard - hard glides (for soft floors)</p>

- option - felt glides (for hard floors)
- option - teflon glides (universal)

Castors in HC models:

- hard castors (for soft floors)
- soft castors (for hard floors)

**seat**

- plastic
- upholstered - cut foam - density 40 kg/m3

Seat cover:

- black frame - cover always black (RAL 9005)
- metallic , chrome, RAL frame - cover always grey (RAL 7005) except of chairs with black seat - in that case cover is always black (RAL 9005).

**backrest**

- plastic
- upholstered - cold molded foam - density 130 kg/m3.

Plastic colours for backrest:

- black (RAL 9005),
- grey (NCS S 6500-N)\*,
- lightgrey (NCS S 2500-N)\*.

\* Available in offer from 01-09-2021.

It is possible to freely join the colours of seat, backrest and armrests.

In model Zoo 500 without armrests the plastic elements connecting the frame with backrest are:

- black frame - always black (RAL 9005)
- metallic, chrome - always grey (RAL 7005)
- RAL frame - RAL always in frame colour

**net weight**

- 525H, 505H - 6,5 kg
- 522H, 525HC, 502H - 7,0 kg
- 522HC, 525H 2P, 525V, 502HC, 500H, 505HC, 505H 2P - 7,5 kg
- 522H 2P, 522V, 525HC 2P, 502H 2P, 502V, 500HC, 505V - 8,0 kg
- 522HC 2P, 525V 2P, 502HC 2P, 500H 2P, 500V, 505HC 2P - 8,5 kg
- 522V 2P, 502V 2P, 500HC 2P, 505V 2P - 9,0 kg
- 500V 2P - 9,5 kg

**gross weight**

- 525H, 505H - 10,5 kg
- 522H, 525HC, 502H - 11,0 kg
- 522HC, 525H 2P, 525V, 502HC, 500H, 505HC, 505H 2P - 11,5kg
- 522H 2P, 522V, 525HC 2P, 502H 2P, 502V, 500HC, 505V - 12,0 kg
- 522HC 2P, 525V 2P, 502HC 2P, 500H 2P, 500V, 505HC 2P - 12,5 kg
- 522V 2P, 502V 2P, 500HC 2P, 505V 2P - 13,0 kg
- 500V 2P - 13,5 kg

**stacking**

Maximum quantity in stack:

- 522H, 522H 2P, 525H, 525H 2P - 10 pcs.
- 522H 2PB, 522V 2PB, 525H 2PB, 525V 2PB - 5 pcs.
- 522V, 522V 2P, 525V, 525V 2P - 8 pcs.
- 502H, 502H 2P, 502H 2PB, 502V, 502V 2P, 502V 2PB, 500H, 500H 2P, 500H 2PB, 500V, 500V 2P, 500V 2PB, 505H, 505H 2P, 505H 2PB, 505V, 505V 2P, 505V 2PB - 5\* pcs.

Maximum quantity in stack on trolley:


- 522H, 525H - 12 pcs.
- 522H 2P, 525H 2P - 10 pcs.
- 522H 2PB, 522V 2PB, 525H 2PB, 525V 2PB - 5 pcs.
- 522V, 522V 2P, 525V, 525V 2P - 8 pcs.
- 502H, 502H 2P, 502H 2PB, 502V, 502V 2P, 502V 2PB, 500H, 500H 2P, 500H 2PB, 500V, 500V 2P, 500V 2PB, 505H, 505H 2P, 505H 2PB, 505V, 505V 2P, 505V 2PB - 5\* pcs.

\*Chairs upholstered in Valencia - 3 pcs.


**additional information**

- Chairs numbering
- Rows numbering
- Joining in rows
- Joining of chairs and rows "Anti-panic" system
- Trolley for transportation


**Dimensions**




522H / 522HC / 525H / 525HC




522H 2P / 522HC 2P / 525H 2P / 525HC 2P




522 / 522V / 525VNV / 525VN




522V 2P / 522VN 2P / 525V 2P / 525VN 2P




522H




522V




525H




525V




502H / 502HC / 505H / 505HC




502H 2P / 502HC 2P / 505H 2P / 505HC 2P




502V / 502VN / 505V / 505VN




502V 2P / 502VN 2P / 505V 2P / 505VN 2P




500V / 500VN




500V 2P / 500VN 2P




502H / 500H / 505H



502V / 500V / 505V



500H / 500HC



500H 2P / 500HC 2P